## 6GK7177-1MA20-0AA0





LOGO! CSM12/24 Compact Switch Module connection of a LOGO! (...0BA7/...0BA8) and up to 3 further nodes to Ind. Ethernet with 10/100 Mbit/s Unmanaged switch, 4 RJ45 ports, 1x front port for diagnostics DC 12/24V power supply LED diagnostics, LOGO! setup

product type designation	LOGO! CSM 12/24
transfer rate	
transfer rate	10 Mbit/s, 100 Mbit/s
interfaces / for communication / integrated	
number of electrical connections	
<ul> <li>for network components or terminal equipment</li> </ul>	4
number of 100 Mbit/s SC ports	
• for multimode	0
number of 1000 Mbit/s LC ports	
• for multimode	0
<ul><li>for single mode (LD)</li></ul>	0
interfaces / other	
number of electrical connections	
<ul><li>for power supply</li></ul>	1
type of electrical connection	
<ul><li>for power supply</li></ul>	3-pole terminal block
supply voltage, current consumption, power loss	
type of voltage / 1 / of the supply voltage	DC
<ul><li>supply voltage / 1 / rated value</li></ul>	24 V
<ul><li>power loss [W] / 1 / rated value</li></ul>	1.5 W
<ul><li>supply voltage / 1 / rated value</li></ul>	10.2 30.2 V
<ul><li>consumed current / 1 / maximum</li></ul>	0.15 A
<ul> <li>type of electrical connection / 1 / for power supply</li> </ul>	3-pole terminal block
<ul> <li>product component / 1 / fusing at power supply input</li> </ul>	Yes
ambient conditions	
ambient temperature	
<ul><li>during operation</li></ul>	0 55 °C
during storage	-40 +70 °C
during transport	-40 +70 °C
relative humidity	
<ul> <li>at 25 °C / without condensation / during operation / maximum</li> </ul>	90 %
protection class IP	IP20
design, dimensions and weights	
design	LOGO! module
width	71.5 mm
height	90 mm
depth	58.2 mm
net weight	0.15 kg

fastening method	v.
35 mm top hat DIN rail mounting	Yes
wall mounting	Yes
• S7-300 rail mounting	No 
S7-1500 rail mounting	No
product functions / management, configuration, engineering	
product function	
multiport mirroring	No
product function / switch-managed	No
standards, specifications, approvals	
standard	LII 500 COA COO O N - 440
for safety / from CSA and UL	UL 508, CSA C22.2 No. 142
standards, specifications, approvals / CE	V.
certificate of suitability / CE marking	Yes
standards, specifications, approvals / hazardous environn	
standard / for hazardous zone	ATEX: EN 60079-0 : 2009,EN 60079-15 :2010 (Directive 94/9/EC), IECEx: IEC 60079-0 :2011, IEC 60079-15 :2010
from CSA and UL	Haz-Loc ANSI/ISA 12.12.01: CL. I, Div2, Group A,B,C,D T4, CL I, Zone 2, Group IIC, T4, Ta=55°C
certificate of suitability	
CCC / for hazardous zone according to GB standard	Yes
standards, specifications, approvals / other	
certificate of suitability	
• C-Tick	Yes
KC approval	No
standards, specifications, approvals / marine classification	n
Marine classification association	
<ul> <li>American Bureau of Shipping Europe Ltd. (ABS)</li> </ul>	No
French marine classification society (BV)	No
Det Norske Veritas (DNV)	No 
Germanische Lloyd (GL)	No
Lloyds Register of Shipping (LRS)	No
Nippon Kaiji Kyokai (NK)     Poleki Rejects Statkov (RRS)	No No
Polski Rejestr Statkow (PRS)	No
further information / internet-Links	
Internet-Link	http://www.siamana.com/bis-calcation-tool
to web page: selection aid TIA Selection Tool     to website: Industrial communication	http://www.siemens.com/tia-selection-tool
	http://www.siemens.com/simatic-net
to website: Industry Mall     to website: Information and Download Center	https://mall.industry.siemens.com http://www.siemens.com/industry/infocenter
to website: Information and Download Center     to website: Image database	http://automation.siemens.com/bilddb
to website: Maye database     to website: CAx-Download-Manager	http://www.siemens.com/cax
to website: CAX-Download-ivializate     to website: Industry Online Support	https://support.industry.siemens.com
security information	The state of the s
security information	Siemens provides products and solutions with industrial security
	functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Third-party products that may be in use should also be considered. For more information about industrial security, visit http://www.siemens.com/industrialsecurity. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit http://support.automation.siemens.com. (V3.4)
last modified:	6/11/2021 🗗