## SIEMENS

## Data sheet

## 6GK7177-1FA10-0AA0



LOGO! CSM 230 Compact Switch Module of connection of a LOGO! (... 0BA7) and up to 3 further nodes to Industrial Ethernet with 10/100 Mbit/s; unmanaged switch, 4 RJ45 ports, 1x front port for diagnostics AC/DC 115 ... 240 V

product type designation	LOGO! CSM 230
product type designation transfer rate	
transfer rate	10 Mbit/s, 100 Mbit/s
interfaces / for communication / integrated	
number of electrical connections	
for network components or terminal equipment	4
number of 100 Mbit/s SC ports	
for multimode	0
number of 1000 Mbit/s LC ports	
<ul> <li>for multimode</li> </ul>	0
<ul> <li>for single mode (LD)</li> </ul>	0
interfaces / other	
number of electrical connections	
<ul> <li>for power supply</li> </ul>	1
type of electrical connection	
<ul> <li>for power supply</li> </ul>	3-pole terminal block
supply voltage, current consumption, power loss	
type of voltage / 1 / of the supply voltage	DC
<ul> <li>supply voltage / 1 / rated value</li> </ul>	230 V
<ul> <li>supply voltage / 1 / rated value</li> </ul>	100 240 V
<ul> <li>consumed current / 1 / maximum</li> </ul>	0.02 A
<ul> <li>type of electrical connection / 1 / for power supply</li> </ul>	3-pole terminal block
<ul> <li>product component / 1 / fusing at power supply input</li> </ul>	Yes
type of voltage / 2 / of the supply voltage	
<ul> <li>supply voltage / 2 / rated value</li> </ul>	100 240 V
ambient conditions	
ambient temperature	
<ul> <li>during operation</li> </ul>	0 55 °C
<ul> <li>during storage</li> </ul>	-40 +70 °C
<ul> <li>during transport</li> </ul>	-40 +70 °C
relative humidity	
<ul> <li>at 25 °C / without condensation / during operation / maximum</li> </ul>	90 %
protection class IP	IP20
design, dimensions and weights	
design	LOGO! module
width	72 mm
height	90 mm
depth	55 mm

net weight	0.155 kg
fastening method	
<ul> <li>35 mm top hat DIN rail mounting</li> </ul>	Yes
wall mounting	Yes
<ul> <li>S7-300 rail mounting</li> </ul>	No
S7-1500 rail mounting	No
product functions / management, configuration, engineer	ing
product function	
multiport mirroring	No
product function / switch-managed	No
standards, specifications, approvals	
standard	
• for FM	FM3600 and 3611: CL. I, Div2, Group A,B,C,D T4, CL I, Zone 2, Group IIC, T4, Ta=55°C
<ul> <li>for safety / from CSA and UL</li> </ul>	UL60079-0, UL60079-15, CSA C22.2
standards, specifications, approvals / CE	
certificate of suitability / CE marking	Yes
standards, specifications, approvals / hazardous environ	
standard / for hazardous zone	no
standards, specifications, approvals / other	
certificate of suitability	
C-Tick	Yes
KC approval	No
standards, specifications, approvals / marine classification	
Marine classification association	
American Bureau of Shipping Europe Ltd. (ABS)	No
• French marine classification society (BV)	No
Det Norske Veritas (DNV)	No
Germanische Lloyd (GL)	No
Lloyds Register of Shipping (LRS)	No
<ul> <li>Nippon Kaiji Kyokai (NK)</li> </ul>	No
Polski Rejestr Statkow (PRS)	No
further information / internet-Links	
Internet-Link	
<ul> <li>to web page: selection aid TIA Selection Tool</li> </ul>	http://www.siemens.com/tia-selection-tool
<ul> <li>to website: Industrial communication</li> </ul>	http://www.siemens.com/simatic-net
<ul> <li>to website: Industry Mall</li> </ul>	https://mall.industry.siemens.com
<ul> <li>to website: Information and Download Center</li> </ul>	http://www.siemens.com/industry/infocenter
<ul> <li>to website: Image database</li> </ul>	http://automation.siemens.com/bilddb
<ul> <li>to website: CAx-Download-Manager</li> </ul>	http://www.siemens.com/cax
to website: Industry Online Support	https://support.industry.siemens.com
security information	
security information	Siemens provides products and solutions with industrial security functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Third-party products that may be in use should also be considered. For more information about industrial security, visit http://www.siemens.com/industrialsecurity. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit http://support.automation.siemens.com. (V3.4)
last modified:	6/11/2021 🖸